FLOORS



LVT VINYL STAFF


VCT VINYL TILE

BENNER PRODUCTS

LVT VINYL STAFF

Dream wood / High wood





HIGH QUALITY

Easy Installation

Resistant

Light Weight

Maintenance easy

Description	Duela Dream Wood	Duela High Wood
Size	30.48 x 91.44 cm (12" x 36")	
Thickness	3.0 mm	
Weight	5.09 Kg / m2 14.20 kg / box	
Packing	10 pieces 2.79 m2 / box	
Wear layer	0.30 mm	0.50 mm
Adhesive	Contact	
Durability	5 - 10 - 15 Years According to protective layer, thickness and use	

- The material must be placed on a flat, uniform and level surface, without irregularities, free of dust, grease and dirt. The maximum humidity of the installation surface is 3%.
- The thickness and protective layer depends on the needs of the client.
- Stave with engraving.
- Designed for heavy traffic such as gyms, cinemas, offices, stores, etc.
- It should not be polished.
- No solvent should be applied.














LVT VINYL STAFF

Exotic wood





HIGH QUALITY

Easy Installation

Resistant

Light Weight

Maintenance easy

☆ means in stock

Description	Duela Exotic Wood
Size	15.24 x 91.44 cm (6”x36”)
Thickness	2.0 mm
Weight	3.41 kg/m2 11.40 kg x box
Packing	24 Pieces 3.34 m2 x box
Wear layer	0.20 mm
Adhesive	Contact
Durability	5 - 10 - 15 Years According to protective layer, thickness and use

- The material must be placed on a flat, uniform and level surface, without irregularities, free of dust, grease and dirt. The maximum humidity of the installation surface is 3%.
- The thickness and protective layer depends on the needs of the client.
- Stave with engraving.
- Designed for heavy traffic such as gyms, cinemas, offices, stores, etc.
- It should not be polished.
- No solvent should be applied.














LVT VINYL STAFF

Style wood









HIGH QUALITY

Easy Installation

Resistant


Light Weight

Maintenance easy

Description	Duela Style Wood
Size	15.24 x 91.44 cm (6"x36")
Thickness	1.4 mm
Weight	2.55 kg/m2 14.20 kg x box
Packing	40 Pieces 5.57 m2 x box
Wear layer	0.15 mm
Adhesive	Contact
Durability	5 - 10 - 15 Years According to protective layer, thickness and use












- The material must be placed on a flat, uniform and level surface, without irregularities, free of dust, grease and dirt. The maximum humidity of the installation surface is 3%.
- The thickness and protective layer depends on the needs of the client.
- Stave with engraving.
- Designed for heavy traffic such as gyms, cinemas, offices, stores, etc.
- It should not be polished.
- No solvent should be applied.

LVT VINYL STAFF

Imported wood





HIGH QUALITY

Easy Installation

Resistant

Light Weight

Maintenance easy

Description	Duela Imported Wood		
Size	22.86 cm x 121.92 cm (9" x 48")	22.86 cm x 121.92 cm (9" x 48")	30.48 cm x 60.96 cm (12" x 24")
Thickness	1.5 mm	3.0 mm	3.0 mm
Weight	2.89 kg/m2 14.5 kg x box	5.73 kg/m2 16 kg x box	5.38 kg/m2 10 kg x box
Packing	18 Pieces 5.02 m2 x box	10 Pieces 2.79 m2 x box	10 Pieces 1.86 m2 x box
Wear layer	0.12 mm	0.30 mm	0.30 mm
Adhesive	Contact	Contact	Contact
Durability	5 - 10 - 15 Years According to protective layer, thickness and use	5 - 10 - 15 Years According to protective layer, thickness and use	15 Years According to protective layer, thickness and use


- The material must be placed on a flat, uniform and level surface, without irregularities, free of dust, grease and dirt. The maximum humidity of the installation surface is 3%.
- The thickness and protective layer depends on the needs of the client.
- Stave with engraving.
- Designed for heavy traffic such as gyms, cinemas, offices, stores, etc.
- It should not be polished.
- No solvent should be applied.

















VCT VINYL TILE





HIGH QUALITY

Easy Installation

Resistant

Light Weight

Maintenance easy

Description	Vinyl Tile				
Size	30.48 cm x 30.48 cm (12”x12”)			45.72 cm x 45.72 cm (18”x18”)	
Thickness	1.3 mm	1.6 mm	3.1 mm	1.6 mm	3.1 mm
Weight	2.72 kg/m2 27.2 kg x box	3.20 kg/m2 13.37 kg x box	6.76 kg/m2 28.23 kg x box	3.20 kg/m2 13.37 kg x box	6.76 kg/m2 28.25 kg x box
Packing	108 Pieces 10.03 m2 x box	3.20 kg/m2 13.37 kg x box	6.76 kg/m2 28.23 kg x box	20 Pieces 4.18 m2 x box	20 Pieces 4.18 m2 x box
Adhesive	Latex				
Model	Alabastro Erernolux Vis Madeiras Mármol Parquet Tradicional	Century Eternolux Onyx Royal Sahara Sólida	Century Eternolux Onyx Royal Royal Colors Royal Plus Sahara Sólida	Carrara	

Maintenance:


- All you need is water, soap or some liquid floor cleaner.
- It can also be polished, resulting in a new floor appearance.
- It can be installed with special latex glue for tile, also with contact glue *depending on the humidity of the surface is how the appropriate adhesive is chosen for installation, that is, if there is excess humidity, it is advisable to use latex glue.

Benefits:

- Easy installation. If any piece is damaged, it can be replaced without having to remove the entire floor.
- Slip-resistant and easy to maintain.
- Self-extinguishing.
- Thermal and acoustic insulation.
- Very lightweight materials that comply with new lightweight construction standards.


VCT VINYL TILE

ALABASTER



626

CARRARA


561


562


566


567


569


☆ means in stock


CENTURY


862


866



815



865


810


VCT VINYL TILE

ETERNOLUX


210


215


MADEIRAS


160


161

MARMOL


500


502

ONYX


750


752


756

VCT VINYL TILE


PARQUET



170


171



172

ROYAL


873


874


880


881



888

SAHARA


712


713

SOLIDA


733


734

VCT VINYL TILE

ROYAL COLOR









★ means in stock

ROYAL PLUS













TRADICIONAL









VCT VINYL TILE

www.bennerproducts.com





HIGH QUALITY

Easy Installation

Resistant

Light Weight

Maintenance easy

Description	Best Regal
Size	30.48 cm x 30.48 cm (12" x 12")
Thickness	3.1 mm
Weight	6.65 kg/m2 27.8 kg
Packing	45 pieces 4.18 m2 / box
Adhesive	Latex


BEST-150602


BEST-150612


BEST-150679


BEST-150637


BEST-150644


BEST-150667

Maintenance:


- All you need is water, soap or some liquid floor cleaner.
- It can also be polished, resulting in a new floor appearance.
- It can be installed with special latex glue for tile, also with contact glue *depending on the humidity of the surface is how the appropriate adhesive is chosen for installation, that is, if there is excess humidity, it is advisable to use latex glue.

Benefits:

- Easy placement. If any part is damaged, it can be changed without having to lift the entire floor.
- Non-slip and easy maintenance.
- Self-extinguishing.
- Thermal and acoustic insulation.
- Very light materials that adapt to the new lightweight construction standards.

VCT VINYL TILE

www.bennerproducts.com


BEST-150670


BEST-150689


BEST-150688


BEST-150627


BEST-150628


BEST-150629


BEST-150631



BEST-150633


BEST-150643


BEST-150641


BEST-150645


BEST-150613


BEST-150622


BEST-150623


BEST-150619

ZOCALOS DE VINYL

www.bennerproducts.com





Easy Installation

Resistant

Light Weight

Maintenance easy

☆ means in stock

CODE	PICTURE	DESCRIPCION	COLOR	SIZE	UNITS
ZCX-800201		Coextruded Vinyl Skirting Boards in roll | 2.45 to 2.65 mm (0.096 to 0.104 in)| Contact adhesive	Brown / Marrón Café	10.5 cm x 40 m (4.13 in x 131.23 feet)	1 roll / 1 rollo
ZCX-800202		Coextruded Vinyl Skirting Boards in roll | 2.45 to 2.65 mm (0.096 to 0.104 in)| Contact adhesive	Black / Negro	10.5 cm x 40 m (4.13 in x 131.23 feet)	1 roll / 1 rollo
ZCX-800203		Coextruded Vinyl Skirting Boards in roll | 2.45 to 2.65 mm (0.096 to 0.104 in)| Contact adhesive	Light Gray / Gris Claro	10.5 cm x 40 m (4.13 in x 131.23 feet)	1 roll / 1 rollo
ZCX-800210		Coextruded Vinyl Skirting Boards in roll | 2.45 to 2.65 mm (0.096 to 0.104 in)| Contact adhesive	Steel Gray / Gris Acero	10.5 cm x 40 m (4.13 in x 131.23 feet)	1 roll / 1 rollo
ZCX-800213		Coextruded Vinyl Skirting Boards in roll | 2.45 to 2.65 mm (0.096 to 0.104 in)| Contact adhesive	Walnut / Nuez	10.5 cm x 40 m (4.13 in x 131.23 feet)	1 roll / 1 rollo